



UNITED STATES PATENT AND TRADEMARK OFFICE

Lee

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/566,714	02/01/2006	Kuniaki Ishibashi	053565	8972
38834 7590 01/02/2008 WESTERMAN, HATTORI, DANIELS & ADRIAN, LLP 1250 CONNECTICUT AVENUE, NW SUITE 700 WASHINGTON, DC 20036			EXAMINER HON, SOW FUN	
			ART UNIT 1794	PAPER NUMBER
			MAIL DATE 01/02/2008	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

<p align="center">Office Action Summary</p>	Application No. 10/566,714	Applicant(s) ISHIBASHI ET AL.	
	Examiner Sow-Fun Hon	Art Unit 1794	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-19 is/are pending in the application.
- 4a) Of the above claim(s) 18 and 19 is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-17 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)
2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>2/1/06</u> . | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date: ____.
5) <input type="checkbox"/> Notice of Informal Patent Application
6) <input type="checkbox"/> Other: _____. |
|--|---|

DETAILED ACTION

Election/Restrictions

1. Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

Group I, claim(s) 1-17, drawn to a polarizing film comprising a long polymer film and a dichroic substance.

Group II, claim(s) 18-19, drawn to a process for producing a polarizing film comprising a step of dyeing a stretched polymer film.

2. The inventions listed as Groups I and II do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons. A dichroic substance is a species of dye. The dye genus can also contain species which are non-dichroic. Furthermore, the long polymer film containing a dichroic substance does not need to be stretched.

3. During a telephone conversation with Nicolas Seckel on 12/10/07 a provisional election was made without traverse to prosecute the invention of Group I, claims 1-17. Affirmation of this election must be made by applicant in replying to this Office action. Claims 18-19 are withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

4. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 1, 3-4 are rejected under 35 U.S.C. 102(b) as being anticipated by Hosonuma (US 4,396,642).

Regarding claims 1, 3, Hosonuma teaches a polarizing film (column 6, line 30) comprising: a polymer film (unoriented film formed in Example 1, column 6, lines 10-15), and a dichroic substance (photodichroic dye, column 5, lines 10-11) wherein the polarizing film is produced by stretching the long polymer film in the TD direction (transversely, column 6, lines 20-25), and thus inherently has an absorption axis in the TD direction of the polarizing film as evidenced by Applicant's specification (the step of stretching the long film in the widthwise direction aims at providing an absorption axis in the widthwise direction of the long film, page 10). It is noted that although Hosonuma does not disclose that the polymer film is a long film, Hosonuma teaches that the film

travels in the machine direction (column 6, lines 10-20), with an ink mark that is 100 mm long, imprinted on the film in the machine direction (column 6, lines 12-15), in order to determine the longitudinal shrinkage of the long polymer film after stretching in the transverse direction (in the polarizing film thus obtained, the mark had a length of 55 mm and hence a shrink ratio of 45%, column 6, lines 30-32). This means that the length of the polymer film in the machine direction is continuous or automated production length, which translates into "long".

Regarding claim 4, Hosonuma teaches that the polarizing film is produced by stretching the long polymer film in the TD direction (stretched transversely, column 6, lines 20-22), and shrinking the long polymer film in the MD direction (where the film is transversely stretched, this should be carried out while allowing the film to shrink, column 3, lines 27-30, unoriented film imprinted with a longitudinal mark 100 mm long, column 6, lines 11-14, polarizing film obtained had a length of 55 mm, shrink ratio of 45%, column 6, lines 30-32).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 2, 5-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hosonuma as applied to claims 1, 3-4 above.

Hosonuma teaches a polarizing film comprising: a long polymer film and a dichroic substance, wherein the polarizing film has an absorption axis in the TD direction of the polarizing film, as described above.

Regarding claim 2, although Hosonuma does not disclose the length of the polymer film, Hosonuma teaches that the film travels in the machine direction (column 6, lines 10-20), with an ink mark that is 100 mm long, imprinted on the film in the machine direction (column 6, lines 12-15), in order to determine the longitudinal shrinkage of the long polymer film after stretching in the transverse direction (in the polarizing film thus obtained, the mark had a length of 55 mm and hence a shrink ratio of 45%, column 6, lines 30-32). This means that the length of the polymer film in the machine (MD) direction is very long, and thus can easily be provided to be within the claimed range of not smaller than five times as long as the length in the transverse (TD) direction of the polarizing film, for the purpose of providing a machine direction length that is suitable for continuous or automated production, as is well known in the art.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made, to have provided the polarizing film of Hosonuma, with a length in the MD direction that is within the range of not smaller than five times as long as the length in the TD direction, in order to provide a machine direction length that is suitable for continuous or automated production, as is well known in the art.

Regarding claims 5-7, Hosonuma teaches that the polarizing film is produced by dyeing the long polymer, which is stretched in the TD direction, and shrunk in the MD direction, as described above, with a dichroic substance by applying a solution

containing the dichroic substance onto the polymer film (soaking it in a solution of the photodichroic material, column 3, lines 1-5). Hosonuma teaches the use of a specific dichroic dye in the examples, and thus fails to teach iodine as the dichroic substance.

However, Hosonuma teaches that iodine can be substituted for the dichroic dye as the dichroic substance in the polarizing film (column 1, lines 34-40) for the purpose of providing high polarization (column 1, lines 22-32).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made, to have used iodine in place of the dichroic dye as the dichroic substance in the polarizing film, in order to provide high polarization, as taught by Hosonuma.

Hosonuma fails to disclose that the solution is an aqueous solution, or that the long polymer is stretched and shrunk prior to dyeing. However, even though product by process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process. See MPEP 2113. In the instant case, the product is the iodine-dyed stretched and shrunk polymer film.

7. Claims 8-10, 12, 16-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hosonuma as applied to claims 1, 3-4 above, and further in view of Yoshida (US 2001/0030726).

Hosonuma teaches a polarizing film comprising: a long polymer film and a dichroic substance, wherein the polarizing film has an absorption axis in the TD direction of the polarizing film, as described above. In addition, Hosonuma teaches that the polarizing film has a high degree of polarization (abstract).

Regarding claims 8, 17, Hosonuma teaches that the polarizing film is used in a liquid crystal display (column 1, lines 8-15). Hosonuma fails to teach a laminated film comprising the polarizing film described above with a retardation film having a slow axis in the MD direction, which comprises a long polymer film, wherein the MD direction of the polarizing film corresponds to the MD direction of the retardation film, or that the laminated film is disposed outside of a liquid crystal cell of the liquid crystal display.

However, Yoshida teaches a laminated film comprising a polarizing film (162, [0437], Fig. 94) and a retardation film (168, [0436], Fig. 94) having a slow axis (phase-delay axis, [0177]) that is orthogonal to the absorption axis of the adjacent polarizing film (first polarizing element, [0177]), wherein the laminated film is disposed outside of a liquid crystal cell of the liquid crystal display (first and second polarizing elements on both sides of a liquid crystal panel of liquid crystal display, [0177]), for the purpose of obtaining improved viewing angle characteristics for the display ([0178]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made, to have provided a laminated film comprising a retardation

film having a slow axis that is perpendicular to the absorption axis of the polarizing film of Hosonuma, wherein the MD direction of the polarizing film corresponds to the MD direction of the retardation film, being in the same laminated film, so that the slow axis of the retardation film is in the MD direction, being orthogonal to the absorption axis of the polarizing film which is in the TD direction, and to have disposed the laminated film outside of a liquid crystal cell in a liquid crystal display, in order to obtain the desired improvement in display viewing angle characteristics, as taught by Yoshida.

Regarding claim 9, Yoshida teaches that the retardation film comprises a uniaxially stretched film ([0437]), for the purpose of providing the desired retardation characteristics for improving the viewing angle as discussed above.

Regarding claim 10, Yoshida teaches that the retardation film comprises an optically uniaxial layer comprising a liquid crystal material ([0183]), for the purpose of providing the desired retardation characteristics for improving the viewing angle as discussed above.

Regarding claim 12, Yoshida teaches that the retardation film is a composite film comprising a birefringent layer provided on a birefringent polymer film (retardation films 61, 63 [0197], polarizing element 21, [0198], Fig. 22), for the purpose of providing the desired combination of retardation characteristics for improving the viewing angle as discussed above.

Regarding claim 16, Hosonuma teaches that the polarizing film is used in a liquid crystal display (column 1, lines 8-15). Hosonuma fails to teach that the polarizing film is disposed outside of a liquid crystal cell of the liquid crystal display.

However, Yoshida teaches that a polarizing film is disposed outside of a liquid crystal cell of the liquid crystal display (first and second polarizing elements on both sides of a liquid crystal panel of liquid crystal display, [0177]), for the purpose of providing the desired polarizing light.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made, to have disposed the polarizing film of Hosonuma, outside of a liquid crystal cell of a liquid crystal display, in order to provide the desired polarized light, as taught by Yoshida.

8. Claims 8, 11, 13-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hosonuma in view of as applied to claims 1, 3-4 above, and further in view of Abileah (US 5,907,378).

Hosonuma teaches a polarizing film comprising: a long polymer film and a dichroic substance, wherein the polarizing film has an absorption axis in the TD direction of the polarizing film, as described above. In addition, Hosonuma teaches that the polarizing film has a high degree of polarization (abstract).

Regarding claims 8, 17, Hosonuma teaches that the polarizing film is used in a liquid crystal display (column 1, lines 8-15). Hosonuma fails to teach a laminated film comprising the polarizing film described above with a retardation film having a slow axis in the MD direction, which comprises a long polymer film, wherein the MD direction of the polarizing film corresponds to the MD direction of the retardation film, let alone that it is disposed outside of a liquid crystal cell of the liquid crystal display.

However, Abileah teaches that a retardation film is provided in a laminated film comprising the polarizing film, outside of a liquid crystal cell (polarizer 1, retardation film 3, liquid crystal layer 5, column 33, lines 1-10, Fig. 41) of a liquid crystal display (column 32, lines 62-65), for the purpose of obtaining improved contrast ratios for the display (column 33, lines 30-35). Abileah teaches that the retardation film has a slow axis, or axis of retardation that is parallel to the transmission axis of the polarizing film (optical axis of each retardation film is oriented substantially parallel to the adjacent polarizer transmission axis, column 32, lines 39-42), which means that the slow axis of the retardation film is perpendicular to the absorption axis of the polarizing film.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made, to have provided a laminated film comprising a retardation film having a slow axis that is perpendicular to the absorption axis of the polarizing film of Hosonuma, wherein the MD direction of the polarizing film corresponds to the MD direction of the retardation film, being in the same laminated film, so that the slow axis of the retardation film is in the MD direction, being perpendicular to the absorption axis of the polarizing film which is in the TD direction, and to have disposed the laminated film outside of a liquid crystal cell in a liquid crystal display, in order to provide the desired contrast ratios for the display, as taught by Abileah.

Regarding claim 11, Abileah teaches that the retardation film can comprise a birefringent layer comprising a non-liquid crystal material having a birefringence that is not lower than 0.005 (polyimide, Δn was between 0.02 and 0.03, column 35, lines 1-

15), for the purpose of providing the desired retardation characteristics for improving the contrast ratio, as discussed above.

Regarding claims 13-14, Abileah teaches that the birefringent layer can comprise a polyimide (birefringent film, column 18, lines 55-58) which is a polymer that is inherently solid in the film form, for the purpose of providing the desired retardation characteristics for improving the contrast ratio, as discussed above.

Regarding claim 15, Abileah teaches that the birefringent layer can have a relationship $n_x > n_y > n_z$ ($n_x = 1.4305$, $n_y = 1.4275$, $n_z = 1.4261$, column 30, lines 60-65), for the purpose of providing the desired retardation characteristics for improving the contrast ratio, as discussed above.

Regarding claim 16, Hosonuma teaches that the polarizing film is used in a liquid crystal display (column 1, lines 8-15). Hosonuma fails to teach that the polarizing film is disposed outside of a liquid crystal cell of the liquid crystal display.

However, Abileah teaches that a polarizing film (column 26, lines 25-35) is disposed outside of a liquid crystal cell (column 26, lines 17-20, display has at its rear, a linear polarizer, column 26, lines 25-27) of a liquid crystal display (column 26, lines 14-16), for the purpose of providing the desired polarized light.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made, to have disposed the polarizing film of Hosonuma, outside of a liquid crystal cell of a liquid crystal display, in order to provide the desired polarized light, as taught by Abileah.

Any inquiry concerning this communication should be directed to Sow-Fun Hon whose telephone number (571)272-1492. The examiner can normally be reached Monday to Friday from 10:00 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terrel Morris, can be reached on (571)272-1478. The fax phone number for the organization where this application or proceeding is assigned is (571)273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Sophie Hon

Sow-Fun Hon